



SPECIFICATIONS:


Voltage Rating: 250V AC/DC
Current Rating: 2A AC/DC
Withstanding Voltage: 1000V AC/Minute
Temperature Range: -25°C~+85°C
Insulation Resistance: 1000MΩ Min.
Contact Resistance: 20mΩ Max.
Applicable Wire Range: AWG#26~30.

Assembly Layout:



A2015H-NP-N2BK

2.00mm Pitch Single Row Housing



Reference Informations:

*Material:


Housing: PA66 UL94V-2/Black

*Suitable LDZY A2015 series Terminal
Ordering Information & Dimensions

Poles	Dimensions (mm)		Poles	Dimensions (mm)	
	A	B		A	B
02	2.00	4.20	16	30.00	32.20
03	4.00	6.20	17	32.00	34.20
04	6.00	8.20	18	34.00	36.20
05	8.00	10.20	19	36.00	38.20
06	10.00	12.20	20	38.00	40.20
07	12.00	14.20	21	40.00	42.20
08	14.00	16.20	22	42.00	44.20
09	16.00	18.20	23	44.00	46.20
10	18.00	20.20	24	46.00	48.20
11	20.00	22.20	25	48.00	50.20
12	22.00	24.20	26	50.00	52.20
13	24.00	26.20	27	52.00	54.20
14	26.00	28.20	28	54.00	56.20
15	28.00	30.20	29	56.00	58.20

A2015HA-NP-N2BK

2.00mm Pitch Single Row Housing



Reference Informations:

*Material:

Housing: PA66 UL94V-2/Black

*Suitable LDZY A2015 series Terminal

Ordering Information & Dimensions

Poles	Dimensions (mm)		Poles	Dimensions (mm)	
	A	B		A	B
02	2.00	4.40	16	30.00	32.40
03	4.00	6.40	17	32.00	34.40
04	6.00	8.40	18	34.00	36.40
05	8.00	10.40	19	36.00	38.40
06	10.00	12.40	20	38.00	40.40
07	12.00	14.40	21	40.00	42.40
08	14.00	16.40	22	42.00	44.40
09	16.00	18.40	23	44.00	46.40
10	18.00	20.40	24	46.00	48.40
11	20.00	22.40	25	48.00	50.40
12	22.00	24.40	26	50.00	52.40
13	24.00	26.40	27	52.00	54.40
14	26.00	28.40	28	54.00	56.40
15	28.00	30.40	29	56.00	58.40


A2015TF-BT1

2.00mm Pitch Terminal

Reference Informations:

*Material: Brass/Tin-plated

*Mates with LDZY A2015 series Housing



Ordering Information & Specifications

Part No	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
A2015TF-BT1	AWG#26-#30	1.40mm(max)	Brass	Tin-plated	10,000pcs


A2015TFA-PT1

2.00mm Pitch Terminal

Reference Informations:

*Material: Phosphor Bronze/Tin-plated

*Mates with LDZY A2015 series Housing



Ordering Information & Specifications

Part No	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
A2015TFA-PT1	AWG#26-#30	1.40mm(max)	Phosphor Bronze	Gold-flash	10,000pcs